


## SUPPLEMENT TO

The Gazette



of India

सत्यमेव जयते

No. 34 ] NEW DELHI, SATURDAY, AUGUST 31, 1957/BHADRA 9, 1879

## OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 3rd August, 1957

CHOLERA								SMALLPOX								PLAGUE							
C.		D.		C.		D.		C.		D.		C.		D.		C.		D.					
Andhra Pradesh								Bombay															
Srikakulam	..	..	18	4	..	..	Greater Bombay	..	..	..	11	6	..	..									
Visakhapatnam	..	..	5	2	..	..	Amreli	..	..	..	2	2	..	..									
West Godavari	..	..	4	1	..	..	Broach	..	..	..	18	5	..	..									
Krishna	..	5	4	9	..	..	Surat	..	64	13	..	..	..	..									
Guntur	..	..	4	3	..	..	Ahmednagar	..	12	1	..	..	..	..									
Kurnool	..	10	2	..	1	..	E. Khandesh	..	13	3	..	..	..	..									
Cuddapah	..	..	5	..	..	..	Nasik	..	1	1	..	..	..	..									
Anantpur	..	..	3	1	..	..	Poona	..	13	6	..	..	..	..									
Chittoor	..	..	10	1	..	..	Ratnagiri	..	..	..	3	3	..	..									
Karimnagar	5	2	..	..	..	..	North Satara	..	17	3	..	..	..	..									
Adilabad	..	4	2	..	..	..	South Satara	..	4	1	..	..	..	..									
Nizamabad	..	12	2	..	..	..	Sholapur	..	16	5	..	..	..	..									
Mehboobnagar	..	..	2	..	..	..	Wardha	..	1	1	..	..	..	..									
Hyderabad	..	..	1	1	..	..	Aurangabad	..	2	2	..	..	..	..									
TOTAL	36	14	59	14	..	..	Bhir	..	10	5	..	..	..	..									
Total for w/c 27-7-57	96	49	101	21	..	..	Parbhani	..	11	2	..	..	..	..									
Total for w/c 20-7-57	108	29	110	29	..	..	Banaskantha	..	..	..	8	2	..	..									
Assam								TOTAL	..	164	43	42	18	..	..								
TOTAL	..	..	..	..	..	..	Total for w/c 27-7-57	126	36	103	20	..	..	..									
Total for w/c 27-7-57	15	11	..	..	..	..	Total for w/c 20-7-57	163	48	90	15	..	..	..									
Total for w/c 20-7-57	23	6	5	..	..	..	Delhi																
Bihar								"N. R."															
"N. R."								TOTAL	..	..	..	..	..	..	..								
TOTAL	..	..	..	..	..	..	Total for w/c 27-7-57	..	..	..	..	..	..	..									
Total for w/c 27-7-57	..	..	..	..	..	..	Total for w/c 20-7-57	..	..	..	..	..	..	..									
Total for w/c 20-7-57	..	..	..	..	..	..																	

Explanation of Symbol used :- C=Cases; D.=Deaths; ..=Nil; "N.R."=Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 3rd August, 1957—*contd.*

CHOLERA								CHOLERA							
SMALLPOX				PLAQUE				SMALLPOX				PLAQUE			
C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.
<b>Himachal Pradesh</b>								<b>Orissa</b>							
"N.R."								Cuttack							
TOTAL	..	..	..	..	..	..	..	29	19	2	1	..	..	..	..
Total for w/c 27-7-57	..	..	..	..	..	..	..	..	..	11	3	..	..	..	..
Total for w/c 20-7-57	..	..	..	..	..	..	..	5	3	9	1	..	..	..	..
<b>Kerala</b>								Sambalpur							
Trivandrum	..	..	10	3	..	..	..	..	..	15	3	..	..	..	..
Quilon	..	..	1	3	..	..	..	..	..	7	5	..	..	..	..
Malabar	..	..	3	2	..	..	..	..	..	59	39	8	..	..	..
TOTAL	..	..	14	8	..	..	..	..	..	3	..	..	..	..	..
Total for w/c 27-7-57	..	..	19	7	..	..	..	..	..	61	58	13	..	..	..
Total for w/c 20-7-57	..	..	..	..	..	..	..	65	119	62	18	..	..	..	..
<b>Madhya Pradesh</b>								<b>Pondicherry</b>							
"N.R."								"N.R."							
<b>Madras</b>								TOTAL							
Madras City	..	16	4	10	1	..	..	..	..	..	..	..	..	..	..
Chingleput	..	5	4	12	2	..	..	Total for w/c 27-7-57	..	..	..	..	..	..	..
South Arcot	..	18	9	20	8	..	..	Total for w/c 20-7-57	..	..	..	..	..	..	..
Tiruchirappalli	..	..	4	2	..	..	..	<b>Punjab</b>							
Tanjore	..	..	..	10	2	..	..	"N.R."							
Madurai	..	..	..	4	1	..	..	TOTAL	..	..	..	..	..	..	..
Ramanathapuram	..	..	..	15	3	..	..	Total for w/c 27-7-57	..	..	..	..	..	..	..
Tirunelveli	..	52	33	..	..	..	..	Total for w/c 20-7-57	..	..	..	..	..	..	..
North Arcot	..	..	..	4	3	..	..	<b>Rajasthan</b>							
Salem	..	..	..	7	1	..	..	"N.R."							
Coimbatore	..	..	..	11	..	..	..	TOTAL	..	..	..	..	..	..	..
Nilgiris	..	..	..	3	..	..	..	Total for w/c 27-7-57	..	..	..	..	..	..	..
TOTAL	..	91	50	100	23	..	..	Total for w/c 20-7-57	..	..	..	..	..	..	..
Total for w/c 27-7-57	31	20	188	50	..	..	..	<b>Tripura</b>							
Total for w/c 20-7-57	28	9	132	32	..	..	..	TOTAL	..	1	..	1	..	..	..
<b>Manipur</b>								Total for w/c 27-7-57	2	2	..	..	..	..	..
TOTAL	..	..	..	..	..	..	..	Total for w/c 20-7-57	7	5	..	..	..	..	..
Total for w/c 27-7-57	..	..	..	..	..	..	..	<b>Uttar Pradesh</b>							
Total for w/c 20-7-57	..	..	..	..	..	..	..	Allahabad	..	..	..	20	2	..	..
<b>Mysore</b>								Barcilly	..	..	..	3	3	..	..
"N.R."								Basti	..	..	8	..	..	..	..
TOTAL	..	..	..	..	..	..	..	Deoria	..	24	11	2	3	..	..
Total for w/c 27-7-57	..	..	..	..	..	..	..	Faizabad	..	..	7	..	..	..	..
Total for w/c 20-7-57	..	..	..	..	..	..	..	Garhwal	..	..	8	..	..	..	..

Explanation of Symbols used : C=Cases; D=Deaths; ..=Nil; "N.R." =Information not received.

**Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 3rd August, 1957—contd.**

CHOLERA								CHOLERA							
SMALLPOX				PLAGUE				SMALLPOX				PLAGUE			
C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.
<b>Uttar Pradesh—contd.</b>								<b>West Bengal</b>							
<i>For w/e 27-7-57</i>								<i>For w/e 27-7-57</i>							
Ghazipur	..	..	2	I	..	..	..	Burdwan	..	30	14	17	11	..	..
Gonda	..	..	I	..	..	..	..	Birbhum	..	3	I	3	..	..	..
Gorakhpur	..	I	..	..	..	..	..	Bankura	..	13	6	12	2	..	..
Kanpur	..	..	7	I	..	..	..	Midnapur	..	9	6	6	3	..	..
Lucknow	..	..	6	I	..	..	..	Hooghly	..	33	19	15	12	..	..
Rae Bareilly	..	..	I	2	..	..	..	Howrah	..	71	23	27	17	..	..
Sirapur	..	..	..	I	..	..	..	24 Paraganas	..	60	29	74	36	..	..
Sultanpur	..	4	3	..	..	..	..	Calcutta	..	33	18	5	3	..	..
Tehri Garhwal	..	..	I	..	..	..	..	Nada	..	7	..	..	..	..	..
<b>TOTAL</b>	29	14	66	14	..	..	..	Murshidabad	..	..	..	15	9	..	..
<b>Total for w/e 27-7-57</b>	2	I	63	17	..	..	..	Malda	..	..	..	42	11	..	..
<b>Total for w/e 20-7-57</b>	42	16	85	21	..	..	..	Purulia	..	28	13	..	..	..	..
<b>West Bengal</b>								<b>TOTAL</b>	287	129	216	104	..	..	..
<b>TOTAL</b>	..	..	..	..	..	..	..	<b>Pondicherry</b>							
<b>Total for w/e 27-7-57</b>	..	..	..	..	..	..	..	<i>For w/e 13-7-57</i>							
<b>Total for w/e 20-7-57</b>	..	..	..	..	..	..	..	<b>TOTAL</b>	..	..	..	..	..	..	..
<b>Grand total for India</b>								<i>For w/e 20-7-57</i>							
(Excluding Bihar, Delhi, Himachal Pradesh, Madhya Pradesh, Mysore, Punjab, Rajasthan and West Bengal)	414	182	340	90	..	..	..	<b>TOTAL</b>	..	..	..	..	..	..	..
<b>Corresponding Total for w/e 27-7-57</b>	337	238	536	133	..	..	..	<b>Rajasthan</b>							
<b>Corresponding Total for w/e 20-7-57</b>	491	176	608	164	..	..	..	<i>For w/e 13-7-57</i>							
<b>ARREAR INFORMATION</b>								Jaipur	..	..	17	2	..	..	..
<b>Jammu and Kashmir</b>								Tonk	..	..	I	I	..	..	..
<i>For w/e 13-7-57</i>								Udaipur	..	..	I	..	..	..	..
<b>TOTAL</b>	..	..	..	..	..	..	..	Bikaner	..	..	2	..	..	..	..
<i>For w/e 20-7-57</i>								<b>TOTAL</b>	..	..	21	3	..	..	..
<b>TOTAL</b>	..	..	..	..	..	..	..	<b>Rajasthan</b>							
<b>Punjab</b>								<i>For w/e 20-7-57</i>							
<i>For w/e 20-7-57</i>								Sawai Madhopur	..	..	I	..	..	..	..
<b>TOTAL</b>	..	..	..	..	..	..	..	Bikaner	..	..	3	..	..	..	..
<b>Rohtak</b>								<b>TOTAL</b>	..	..	4	..	..	..	..
<b>Hoshiarpur</b>								<b>Punjab</b>							
<b>Sangrur</b>								<i>For w/e 20-7-57</i>							
<b>TOTAL</b>								Rohtak	..	..	3	2	..	..	..
<b>Explanation of symbols used</b>								Hoshiarpur	..	..	I	..	..	..	..
<b>C.—Cases;— D.—Deaths; ..—Nil; "N.R."—Information not received.</b>								Sangrur	..	..	2	..	..	..	..
								<b>TOTAL</b>	..	..	6	2	..	..	..

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 3rd August, 1957—concl'd.

CHOLERA								SMALLPOX								PLAGUE															
C.				D.				C.				D.				C.				D.											
Punjab																POLIOMYELITIS															
For w/e 27-7-57																(Information based on patients treated in hospitals in important towns):															
Rohtak	.	.	..	..	-	..	I	..	..	Period								Important													
Kangra	.	.	..	..		I	..	..	..	Place								Deaths													
Jullundhar	.	.	..	..		I	..	..	..	Fortnight ending								Cases													
Sangrur	.	.	..	..		6	4	..	..	West Bengal								Parotic													
										1-5-57								2													
										2-5-57								—													
										1-6-57								—													
TOTAL										2-6-57								3													
Explanation of Symbols used :— C=Cases; D=Deaths; ..=Nil.																															

Explanation of Symbols used :— C=Cases; D=Deaths; ..=Nil.

NEW DELHI-2 (INDIA) ; }  
The 26th August, 1957. }

H. R. SHARMA,  
for Registrar General, India.

## Prosper with the NATION

INVEST YOUR SAVINGS IN

GOVERNMENT OF INDIA'S *Small Savings Scheme*

and help India's

- COMMUNITY DEVELOPMENT PROGRAMME
- GREAT RIVER VALLEY PROJECTS
- SOCIAL WELFARE SCHEMES
- RAIL AND ROAD DEVELOPMENT

PUT YOUR MONEY IN ANY OF THESE ATTRACTIVE GUARANTEED SECURITIES

12-YEAR NATIONAL SAVINGS CERTIFICATES	Interest at 4.16 per cent per annum at maturity. Available in denominations of Rs. 5/- to Rs. 5,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR TREASURY SAVINGS DEPOSIT CERTIFICATES	3½ per cent interest paid annually. Available in multiples of Rs. 100/- upto Rs. 25,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR NATIONAL PLAN CERTIFICATES	Interest at 4½ per cent per annum at maturity. Issued in denominations of Rs. 25/-, Rs. 50/-, Rs. 100/- & Rs. 500/-. Individual holding upto Rs. 1,000/-.
POST OFFICE SAVINGS BANK ACCOUNTS	2 per cent interest added on deposits upto Rs. 10,000/- and 1½ per cent on balance upto Rs. 15,000/-.
15-YEAR ANNUITY CERTIFICATES	
Issue Prices: Rs. 3,500/-, Rs. 7,000/-, Rs. 14,000/- & Rs. 28,000/-. Individual holding upto Rs. 28,000/-.	Refunded together with compound interest at 3½ per cent per annum in the form of monthly payments spread over a period of fifteen years.

YOU ARE ASSURED OF A HANDSOME RETURN FREE OF INCOME-TAX

For further particulars and/or rules governing these investments please write to the National Savings Commissioner Simla, or to the Regional National Savings Officer of your State.

**INVEST IN INDIA'S FUTURE**

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 3rd August, 1957.

## Deaths from :—

Town	Mld.-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.	
Andhra Pradesh				"N.R."										
Assam				"N.R."										
Bihar				"N.R."										
Bombay														
Ahmedabad . . . . .		915	712	40.5	..	..	..	152	9	40	..	345	19.6	103
Ahmednagar . . . . .		90	64	37.0	..	..	..	1	3	3	1	25	14.4	10
Amalner . . . . .		51	36	36.7	..	..	..	10	..	5	..	22	22.4	2
Baroda . . . . .		250	210	43.7	..	..	..	30	3	18	1	114	23.7	32
Barsi . . . . .		47	27	29.9	..	..	..	5	..	1	..	23	25.4	2
Bhusawal†														
Broach†														
Cambay . . . . .		42	34	42.1	..	..	..	1	1	6	..	31	38.4	12
Chalisgaon . . . . .		36	26	37.6	..	..	..	4	..	1	..	10	14.4	1
Dhulia . . . . .		92	52	29.4	..	..	..	13	..	3	1	26	14.7	4
Gadag Betegeri†														
Godra †														
Greater Bombay . . . . .		3590	1858	26.9	..	6	..	2	48	150	3	785	11.4	214
Jalgaon . . . . .		82	122	77.4	..	..	..	4	..	7	1	25	15.9	4
Kalyan . . . . .		76	17	11.6	..	..	..	..	..	3	..	11	7.5	5
Kolhapur †														
Malegaon †														
Miraj †														
Nadiad . . . . .		73	30	21.4	..	..	..	13	..	2	1	32	22.8	8
Parbhani . . . . .		41	5	6.3	..	..	..	3	1	1	..	10	12.7	..
Surrendranagar . . . . .		44	24	28.4	..	..	..	..	..	..	..	1	1.2	..
Parbander . . . . .		66	51	40.2	..	..	..	24	15	5	..	60	47.3	14
Kamptee . . . . .		37	17	23.9	..	..	..	5	2	3	..	17	23.9	4
Nagpur . . . . .		546	276	26.3	..	2	..	24	8	20	2	220	21.0	53
Hinganghat . . . . .		36	26	37.6	..	..	..	11	..	..	..	11	15.9	3
Chanda . . . . .		44	29	34.3	..	..	..	2	3	4	..	23	27.2	5
Yeotmal . . . . .		42	33	40.9	..	..	..	14	2	..	..	24	29.7	2
Bhavnagar . . . . .		158	60	19.7	..	..	..	26	3	..	6	57	18.8	18
Gondia . . . . .		47	40	44.3	..	..	..	4	..	1	4	15	16.6	2
Morvi . . . . .		43	17	20.6	..	..	..	..	..	1	..	1	1.2	1
Aurangabad . . . . .		76	21	14.4	1	6	..	3	1	3	..	12	8.2	..
Junagadh . . . . .		66	46	36.2	..	..	..	12	3	2	1	25	19.7	8
Rajkot . . . . .		175	101	30.0	..	..	..	24	4	14	..	58	17.2	17
Nanded . . . . .		84	18	11.1	..	..	..	1	..	2	..	8	4.9	2
Wardha . . . . .		46	21	23.7	..	..	..	2	1	1	..	4	4.5	..
Jalga . . . . .		72	2	3.6	..	..	..	2	..	4	..	10	7.2	2
Nandurbar . . . . .		36	27	39.0	..	..	..	1	..	..	..	16	23.1	7
Nasik . . . . .		124	75	31.5	..	..	..	7	5	6	..	41	17.2	5
Navasari . . . . .		51	38	38.7	..	..	..	8	..	..	..	14	14.3	2
Pandharpur . . . . .		45	33	38.1	..	..	..	2	4	6	..	17	19.6	3
Patan . . . . .		48	51	55.3	..	..	..	3	..	1	..	14	15.2	3
Poona . . . . .		634	33	25.7	..	..	..	3	12	42	..	175	14.4	50
Sangli . . . . .		60	36	31.2	..	..	..	2	2	2	..	24	20.8	..
Satara . . . . .		41	31	39.3	..	..	..	3	..	4	..	24	30.4	6
Sholapur . . . . .		308	195	32.9	..	..	..	18	11	23	..	109	18.4	27
Surat . . . . .		257	164	33.2	..	..	..	18	11	29	1	130	26.3	33
Thana . . . . .		64	21	17.1	..	..	..	2	2	1	..	11	8.9	2
TOTAL . . . . .		8,635	4,962	29.9	..	8	..	459	154	414	22	2,580	15.5	664

\*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B. = Births; B.R. = Birth Rate; C. = Cholera; S. = Smallpox; P. = Plague; F. = Fevers; D.D. = Dysentery and Diarrhoea; R.D. = Respiratory Diseases; M.D. = Maternal Deaths; D.R. = Death Rate; I.D. = Infantile Deaths (included in total deaths); .. = Nil information. "N.R." Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 3rd August, 1957—*contd.*

Town	Mid.-year Popn.-Est. (000)	Deaths from :—										Total	D.R.*	I.D.
		B.	B.R.*	C	S	P.	F.	D.D.	R.D.	M.D.				
Delhi		"N.R."												
Kerala														
Trivandrum . .	226	223	51·3	..	4	..	7	2	3	..	30	6·9	..	
Quilon . .	77	92	62·1	..	..	..	..	4	3	..	22	14·9	3	
Alleppey . .	155	60	20·1	..	..	..	4	5	4	..	34	11·4	4	
Changanacherry . .	42	28	34·7	..	..	..	..	1	1	..	12	14·9	3	
Kottayam . .	52	60	60·0	..	..	..	3	2	3	..	20	20·0	3	
Mattancherry . .	87	53	31·7	..	..	..	2	..	4	..	15	9·0	..	
Ernakulam . .	72	69	49·8	..	..	..	2	..	3	..	33	23·8	2	
Trichur . .	78	26	17·3	..	..	..	3	4	4	..	19	12·7	4	
Cochin . .	32	24	39·0	..	..	..	..	1	..	..	11	17·9	2	
Kozhikode . .	181	293	84·2	..	2	..	17	9	12	..	105	30·2	12	
Palghat . .	79	..	..	..	..	..	1	5	2	..	25	16·5	5	
Cannanore . .	43	14	15·2	..	..	..	3	..	5	..	17	18·4	5	
Tellicherry . .	43	32	38·7	..	..	..	..	..	7	1	32	38·7	4	
TOTAL	1,172	974	43·2	..	6	..	42	33	51	1	375	10·6	47	
Madhya Pradesh		"N.R."												
Madras														
Ambur†														
Aruppukottai . .	58	21	18·8	..	..	..	2	1	..	..	8	7·2	1	
Bodinayakanpur . .	41	17	21·6	..	..	..	..	2	..	..	6	7·6	3	
Chidambaram . .	41	17	34·2	..	..	..	..	1	1	..	15	19·0	3	
Coimbatore . .	242	192	41·3	..	..	..	5	25	16	2	99	21·3	22	
Cuddalore . .	75	72	50·0	1	..	..	4	..	3	3	27	18·7	3	
Dindigul . .	93	48	26·8	..	..	..	7	6	3	1	27	15·1	2	
Erode . .	70	41	30·5	..	..	..	..	2	3	..	11	8·2	1	
Gobichetty Palyan . .	40	11	14·3	..	..	..	1	1	..	..	5	6·5	..	
Guddiyattam . .	54	46	44·3	..	..	..	..	4	10	2	22	21·2	7	
Kancheepuram . .	92	61	34·5	..	..	..	..	6	11	..	36	20·3	9	
Karajkudi . .	45	30	34·7	..	..	..	4	3	1	..	17	19·6	4	
Karur . .	52	50	50·0	..	..	..	4	..	1	..	29	29·0	5	
Kumbakonam . .	108	108	52·0	..	..	..	..	2	6	..	23	11·1	6	
Madras . .	1,770	1,299	38·2	5	3	..	72	93	144	5	651	19·1	208	
Nagercoil . .	97	49	26·3	..	..	..	4	1	2	..	11	5·9	2	
Mathuram†														
Mayuram†														
Malapalyam . .	42	7	8·7	..	..	..	4	2	..	..	13	16·1	5	
Nagapattinam . .	61	48	40·9	..	..	..	3	..	2	..	23	19·6	3	
Ootacamund . .	49	62	65·8	..	..	..	..	..	5	..	12	12·7	2	
Palni . .	41	34	43·1	..	..	..	..	3	3	..	10	12·7	3	
Palayamkottai . .	46	52	58·8	2	..	..	2	..	..	1	30	33·9	3	
Periyakulam . .	34	30	45·9	..	..	..	2	4	2	..	23	35·2	3	
Pollachi . .	53	40	39·2	..	..	..	1	3	5	..	22	21·6	3	
Pudukottai . .	51	56	57·1	..	..	..	2	2	1	..	17	17·3	2	
Rajapalayam . .	71	38	27·8	..	..	..	1	3	3	..	15	11·0	3	
Salem . .	250	140	28·1	..	..	..	8	7	12	..	62	12·9	5	
Srirangam . .	43	24	29·0	..	..	..	1	..	1	..	9	10·9	..	
Srivilliputtur . .	44	23	27·2	..	..	..	3	..	2	..	13	15·4	3	
Tanjore . .	122	102	43·5	..	..	..	..	2	2	..	20	8·5	1	
Tiruchirappalli . .	258	136	27·4	..	..	..	5	2	7	..	50	10·1	8	
Tirunelveli . .	82	43	27·3	..	..	..	..	4	4	..	27	17·1	8	

\*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B. = Births ; B.R. = Birth Rate ; C. = Cholera ; S. = Smallpox ; P. = Plague ; B. Fevers ; D.D. = Dysentery and Diarrhoea ; R.D. = Respiratory Diseases ; M.D. = Maternal Deaths ; D.R. = Death Rate ; I.D. = Infantile Deaths (included in total deaths) ; .. = Nil Information ; "N.R." = Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 3rd August, 1957—*contd.*

Deaths from :—

Town	Mid-year Popn-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
<b>Madras—<i>contd.</i></b>													
Tiruppur . . .	65	74	59.2	..	..	..	1	8	3	..	19	15.2	2
Tiruvannamalai . . .	46	38	43.0	..	..	..	..	1	2	..	10	11.3	5
Tuticorin . . .	114	72	32.8	..	..	..	1	1	12	..	31	14.1	8
Vaniyambadi . . .	44	28	33.1	..	..	..	2	2	2	..	13	15.4	5
Vellore . . .	129	110	44.3	..	..	..	..	3	8	2	54	21.8	14
Villupuram . . .	40	33	42.9	..	..	..	..	2	4	1	16	20.3	5
Virudunagar . . .	54	46	44.3	..	..	..	3	4	1	1	19	18.3	5
TOTAL	4,617	3,308	37.3	8	3	..	142	200	282	18	1,495	16.8	372
<b>Mysore</b>													
Bangalore . . .	1,023	343	17.4	..	5	..	6	57	66	..	216	11.0	..
Mysore . . .	306	45	7.6	..	1	..	22	6	5	..	58	9.9	..
Kolar Gold Fields . . .	176	71	21.0	..	..	..	11	15	18	..	89	26.3	..
Bellary . . .	80	22	14.3	..	..	..	2	1	5	..	27	17.6	..
Davangere . . .	72	36	26.0	..	..	..	8	6	..	..	30	21.7	..
Shimoga . . .	59	26	22.9	..	..	..	10	..	..	..	17	15.0	..
Hospet . . .	47	18	19.9	..	..	..	2	1	1	..	9	9.9	..
Tumkur . . .	45	36	41.6	..	..	..	9	..	..	..	9	10.4	..
Chitaldrug . . .	32	6	9.8	..	..	..	..	..	..	..	1	1.6	..
Hassan . . .	32	17	27.6	..	..	..	..	..	..	..	9	14.6	..
Bidar . . .	38	18	24.6	..	..	..	4	..	2	..	6	8.2	..
Belgaum . . .	113	65	29.9	..	..	..	4	1	4	..	26	12.0	..
Mangalore . . .	141	39	14.4	..	..	..	4	6	2	..	43	15.9	..
Bagalkot . . .	37	19	26.7	..	..	..	5	..	2	..	11	15.5	..
TOTAL	2,201	761	18.0	..	6	..	87	93	105	..	551	13.0	..
<b>Orissa</b>													
"N.R."													
<b>Pondicherry</b>													
"N.R."													
<b>Punjab</b>													
Ambala . . .	67	45	34.9	..	..	..	7	1	3	..	19	14.7	7
Amritsar . . .	351	294	43.6	..	..	..	..	6	25	2	83	12.3	22
Batala . . .	64	40	32.5	..	..	..	6	1	4	..	16	13.0	5
Bhatinda . . .	40	34	44.2	..	..	..	2	..	..	..	2	2.6	..
Bhawal . . .	58	51	45.7	..	..	..	2	4	1	..	12	10.8	3
Ferozepore . . .	46	41	46.3	..	..	..	3	..	2	..	10	11.3	1
Hissar . . .	40	38	49.4	..	..	..	2	..	2	..	8	10.4	3
Hosniarpur . . .	52	39	39.0	..	..	..	3	..	1	..	8	8.0	3
Jullundur . . .	207	131	33.0	..	..	..	7	2	8	2	30	7.5	5
Karnal . . .	74	66	46.4	..	..	..	..	..	1	..	9	6.3	1
Meer Kotla . . .	35	25	37.1	..	..	..	5	..	..	..	5	7.4	..
Ludhiana . . .	182	175	50.0	..	..	..	12	1	1	..	40	11.4	8
Moga . . .	42	55	68.1	..	..	..	2	..	1	..	7	8.7	2
Patna . . .	66	44	34.7	..	..	..	2	1	1	..	6	4.7	2
Patiala . . .	115	105	47.5	..	..	..	11	..	5	..	27	12.2	10
Pathankot . . .	36	26	37.6	..	..	..	1	..	1	..	3	4.3	2
Rewari . . .	37	32	45.0	..	..	..	3	..	1	..	4	5.6	..
Rohtak . . .	110	98	46.3	..	..	..	11	..	2	1	16	7.6	4
Simla . . .	51	31	31.6	..	..	..	..	..	..	..	3	3.1	1
Sonapat . . .	35	27	40.1	..	..	..	1	..	..	..	7	10.4	2
TOTAL	1,708	1397	42.5	..	..	..	80	16	59	5	315	9.6	81

\* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil information ; N.R.—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over India for the week ending the 3rd August, 1957—*contd.*

Town	Mid-year Popn. Est. (000)	Deaths from —											Total	D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.					
Rajasthan		"N.R."													
Uttar Pradesh		"													
Agra	385	350	47·3	..	..	..	1	4	26	..	61	8·2	18		
Allahabad†															
Amroha†															
Bahraich	48	15	16·3	..	..	..	..	1	..	..	5	5·4	1		
Banaras	394	296	39·1	..	..	..	56	6	19	..	209	27·6	31		
Ballia†															
Banda†															
Bareilly	206	49	12·4	..	..	..	10	..	10	..	25	6·3	2		
Budaun	54	35	33·7	..	..	..	3	..	2	..	12	11·6	6		
Basti†															
Bulandshahr†															
Chandauli	42	49	60·7	..	..	..	4	..	2	..	13	16·1	5		
Dehra Dun	153	62	21·1	..	..	..	2	..	..	..	19	6·5	2		
Etawah†															
Faizabad-Ayodhya	90	25	14·4	..	2	..	1	..	1	..	10	5·8	..		
Farrukhabad-Fatehgarh	84	29	18·0	1	..	..	5	1	2	..	18	11·1	4		
Ferozabad	82	80	50·7	..	..	..	3	2	1	..	15	9·5	9		
Gazilabad	48	19	20·6	..	..	..	2	..	1	..	4	4·3	2		
Gazipur	37	20	28·1	..	..	..	5	..	2	..	10	14·1	..		
Gorakhpur	143	53	19·3	..	..	..	6	2	3	..	19	6·9	6		
Gonda	35	9	13·4	..	..	..	3	2	..	..	8	11·9	1		
Hapur†															
Hardwar	67	36	28·0	..	..	..	8	3	2	..	22	17·1	5		
Hathras†															
Jaunpur	58	27	24·2	..	..	..	4	1	3	..	15	13·4	1		
Jhansi	119	94	41·1	..	..	..	25	..	..	..	30	13·1	6		
Kanpur	757	347	23·8	..	1	..	109	19	34	6	286	19·6	78		
Kasganj†															
Khurja†															
Koil-Aligarh	154	78	26·3	..	..	..	7	2	6	..	19	6·4	3		
Lucknow †															
Mathura	114	105	47·9	..	..	..	18	1	6	..	33	15·1	7		
Mau-Nath Bhanjan†															
Meerut	191	96	26·1	..	..	..	8	2	5	..	20	5·4	5		
Mirzapur Vindhyachal†															
Moradabad	167	135	42·0	..	..	..	12	2	4	..	36	11·2	8		
Muzaffarnagar	75	33	22·9	..	..	..	3	..	..	..	6	4·2	2		
Pilibhit†															
Rampur †]															
Saharanpur	167	120	37·4	..	..	..	40	1	2	..	46	14·3	11		
Sambhal	66	69	54·4	..	..	..	11	..	2	..	15	11·8	4		
Shahjahanpur†															
Sitapur †															
TOTAL	3736	2231	31·1	1	1	..	346	49	133	6	956	13·3	217		

**West Bengal****"N.R."****ARREAR INFORMATION**

w/e 6-7-1957

Pondichery	69	73	55·0	..	..	..	2	4	6	2	40	30·1	26
------------	----	----	------	----	----	----	---	---	---	---	----	------	----

\*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil Information; "N. R."—Information not received.

Births and Deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 3rd August, 1957—*contd.*

## Deaths from .—

Town	Mid-year Popn.-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.	I.D.
<b>ARREAR INFORMATION</b>													
<i>for w/e 13-7-1957</i>													
Pondicherry . . .	69	78	58.7	..	..	..	..	1	3	1	20	15.1	11
<b>Assam</b>													
<i>for w/e 8-6-1957</i>													
Gauhati . . .	53	12	11.8	..	..	..	8	1	..	..	24	23.5	7
Dibrugarh . . .	48	..	..	..	..	..	..	..	..	..	1	1.1	..
Silchar . . .	45	4	4.6	..	..	..	6	1	2	..	12	13.9	1
TOTAL . . .	146	16	5.7	..	..	..	14	2	2	..	37	13.2	8
<i>for w/e 15-6-1957</i>													
Gauhati . . .	53	17	16.7	..	..	..	8	1	..	..	13	12.8	4
Dibrugarh . . .	48	2	2.2	..	..	..	..	..	..	..	1	1.1	..
Silchar . . .	45	3	3.5	..	..	..	2	1	..	1	10	11.6	..
TOTAL . . .	146	22	7.8	..	..	..	10	2	..	1	24	8.5	4
<i>for w/e 22-6-1957</i>													
Gauhati . . .	53	13	12.8	..	..	..	8	1	..	..	22	21.6	5
Silchar . . .	45	8	9.2	..	..	..	3	1	1	..	9	10.4	3
TOTAL . . .	98	21	11.1	..	..	..	11	2	1	..	31	16.4	8
<i>for w/e 29-6-1957</i>													
Gauhati . . .	53	20	19.6	..	..	..	2	..	..	..	7	6.9	2
Silchar . . .	45	7	8.1	..	..	..	3	..	1	..	8	9.2	2
TOTAL . . .	98	27	14.3	..	..	..	5	..	1	..	15	8.0	4.5
<i>for w/e 6-7-1957</i>													
Dibrugarh . . .	48	4	4.3	..	..	..	..	..	1	..	2	2.2	..
Silchar . . .	45	2	2.3	..	..	..	1	1	4	..	9	10.4	..
TOTAL . . .	93	6	6.9	..	..	..	1	1	5	..	11	5.8	..
<i>for w/e 13-7-1957</i>													
Gauhati . . .	53	27	26.5	..	..	..	3	..	..	..	10	9.8	1
Dibrugarh . . .	48	4	4.3	..	..	..	..	..	..	..	..	..	..
Silchar . . .	45	4	4.6	..	..	..	5	4	1	..	17	19.6	3
TOTAL . . .	146	35	12.5	..	..	..	8	4	1	..	27	9.6	4
<b>Delhi</b>													
<i>for w/e 1-6-1957</i>													
Delhi City . . .	1172	478	21.2	..	..	..	78	2	17	1	150	6.6	43
New Delhi . . .	395	195	25.7	..	..	..	5	7	9	..	91	12.0	38
N.A.C. Civil Station Delhi	125	70	29.1	..	5	..	5	2	5	..	28	11.6	6
Delhi Cantt. . .	53	10	9.8	..	..	..	..	..	..	..	..	..	..
Delhi Shahdara . .	55	38	35.9	..	..	..	3	2	3	..	10	9.5	6
TOTAL . . .	1800	791	22.9	..	5	..	91	13	34	1	279	8.1	93
<i>for w/e 8-6-1957</i>													
Delhi City . . .	1172	450	20.0	..	..	..	86	7	22	..	192	8.5	51
New Delhi . . .	395	175	23.0	..	..	..	..	3	9	1	81	10.7	26
N.A.C. Civil Station Delhi	125	73	30.4	..	6	..	3	1	3	..	22	9.1	4
Delhi Cantt. . .	53	10	9.8	..	..	..	..	..	..	..	..	..	..
Delhi Shahdara . .	55	39	36.9	..	..	..	10	1	3	..	21	19.8	4
TOTAL . . .	1800	747	21.6	..	6	..	99	12	37	1	316	9.1	85

\*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

Explanation of symbols used:—B.=Births; B.R.=Birth Rate; C.=Cholera; S.=Smallpox; P.=Plague; F.=Fever; D.D.=Dysentery and Diarrhoea; R.D.=Respiratory Diseases; M.D.=Maternal Deaths; D.R.=Death Rate; I.D.=Infantile Deaths (included in total deaths); ..=Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 3rd August, 1957—*contd.*

Town	Mid-year Popn.-Est. (000)	B.	B.R.*	Deaths from 1—							Total	D.R.*	I.D
				C.	S.	P.	F.	D.D.	R.D.	M.D.			
Delhi— <i>contd.</i>													
w/e 15-6-1957													
Delhi City	1,172	586	26.0	..	..	..	87	12	50	..	240	10.6	47
New Delhi	395	248	32.7	..	1	..	3	10	9	..	168	22.1	26
NAC Civil Station, Delhi	125	90	37.4	..	4	..	3	2	4	..	23	9.6	5
Delhi Cantt.	53	25	24.5	..	..	..	..	..	..	..	..	..	..
Delhi-Shahdara	25	33	31.2	..	..	..	7	2	2	..	14	17.0	4
TOTAL	1,800	982	28.3	..	5	..	100	26	65	..	445	12.8	82
w/e 22-6-1957													
Delhi City	1,172	675	29.9	..	..	..	149	10	59	1	340	15.1	71
New Delhi	395	197	25.9	..	..	..	2	5	17	..	122	15.8	31
NAC Civil Station, Delhi	125	90	37.4	..	2	..	3	1	5	..	22	9.1	4
Delhi Cantt.	53	25	24.5	..	..	..	..	..	..	..	..	..	..
Delhi-Shahdara	55	43	40.6	..	..	..	10	1	..	..	11	10.4	7
TOTAL	1,800	1,030	..	..	2	..	164	17	81	1	495	14.3	119
w/e 29-6-1957													
Delhi City	1,172	580	25.7	..	..	..	109	2	35	..	233	10.3	44
New Delhi	395	200	26.3	..	..	..	4	2	4	..	110	14.5	11
NAC Civil Station, Delhi	125	90	37.4	..	3	..	4	4	2	..	34	14.1	14
Delhi Cantt.	53	38	37.3	..	..	..	..	..	1	..	5	4.9	..
Delhi-Shahdara	55	39	36.8	..	..	..	13	..	2	..	21	19.8	..
TOTAL	1,800	947	27.4	..	3	..	130	8	44	..	403	11.6	70
w/e 6-7-1957													
Delhi City	1,172	521	23.1	..	..	..	131	3	46	..	282	12.5	57
New Delhi	395	229	30.1	..	..	..	..	..	13	..	115	15.2	16
N.A.C.Civil Station, Delhi	125	90	37.4	..	5	..	2	..	4	2	33	13.3	7
Delhi Cantt.	53	10	9.8	..	..	..	..	..	..	..	..	..	..
Delhi-Shahdara	55	49	46.3	..	..	..	10	1	5	..	19	18.0	5
TOTAL	1,800	899	26.0	..	5	..	143	4	68	2	449	13.0	85
w/e 13-7-1957													
Delhi City	1,172	539	23.9	..	..	..	70	5	44	1	187	8.3	31
New Delhi	395	90	11.8	..	..	..	3	1	7	..	115	15.1	29
N.A.C.Civil Station, Delhi	125	90	37.4	..	1	..	2	3	3	..	18	7.5	9
Delhi Cantt.	53	10	9.8	..	..	..	..	..	..	..	..	..	..
Delhi-Shahdara	55	41	38.8	..	..	..	7	..	3	..	15	14.2	3
TOTAL	1,800	770	22.2	..	1	..	82	9	57	1	335	9.7	72
w/e 20-7-1957													
Delhi City	1,172	646	28.7	..	..	..	61	4	30	2	137	6.1	21
New Delhi	395	225	29.6	..	..	..	4	5	11	..	96	12.6	28
N.A.C.Civil Station, Delhi	125	72	29.9	..	1	..	2	..	3	1	12	5.0	4
Delhi Cantt.	53	25	24.6	..	..	..	..	..	..	..	..	..	..
Delhi-Shahdara	55	47	44.4	..	..	..	4	..	1	..	7	6.6	1
TOTAL	1,800	1,015	29.3	..	1	..	71	9	45	3	252	7.3	54
w/e 27-7-1957													
Delhi City	1,172	647	28.7	..	..	..	80	3	34	..	191	8.5	33
New Delhi	395	255	33.6	..	..	..	2	..	1	..	76	10.0	18
N.A.C.Civil Station, Delhi	125	108	44.9	..	..	..	2	1	5	..	21	8.7	12
Delhi Cantt.	53	60	58.7	..	..	..	..	..	..	..	2	2.0	..
Delhi-Shahdara	55	46	43.5	..	..	..	1	..	3	..	6	5.7	2
TOTAL	1,800	1,116	32.2	..	..	..	85	4	43	..	296	8.6	55

\*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fevers; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information.

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 3rd August, 1957—*contd.*

Town	Mid.-year Popn. est. (000)	B.	B.R.	Deaths from :—								Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.				
Andhra Pradesh														
For w/e 13-7-57														
Adoni . . .	66	44	34.7	..	..	..	4	..	1	..	14	11.0	2	
Anantpur . .	39	38	50.7	..	..	..	..	..	3	1	8	10.7	1	
Anakapalli . .	47	31	34.3	..	..	..	4	..	2	..	29	32.1	11	
Bhimavaram . .	37	19	26.7	..	..	..	1	1	1	..	9	12.6	2	
Chirala . . .	45	21	24.3	..	..	..	10	..	3	1	22	25.4	5	
Chittoor . . .	46	66	74.6	..	..	..	6	..	2	..	19	21.5	4	
Guddapah Eluru †	44	21	24.8	..	..	..	3	..	6	5	44	52.0	7	
Gudivada . .	37	17	23.9	..	..	..	3	..	1	..	15	21.1	2	
Guntur . . .	153	154	52.3	..	..	..	5	2	5	1	54	18.4	5	
Guntakal . .	39	22	29.3	..	..	..	2	..	1	..	15	20.0	3	
Kakinada . .	117	77	34.2	..	..	..	14	..	3	..	44	19.6	4	
Secunderabad .	188	132	36.5	..	..	..	5	1	13	..	63	17.4	8	
Kurnool†														
Masulipatnam .	91	46	26.3	..	1	..	1	1	5	..	21	12.0	3	
Nandyal . . .	38	35	48.0	..	..	..	2	1	2	3	15	20.0	3	
Nizamabad . .	70	12	8.9	..	..	..	2	..	2	..	4	3.0	3	
Nellore . . .	98	100	53.1	..	..	..	4	5	4	1	50	26.5	8	
Proddatur †														
Rajahmundry .	126	82	33.8	..	..	..	1	1	1	..	29	12.0	3	
Kothagudlam .	77	8	5.4	..	..	..	..	..	..	..	2	1.3	..	
Tenali . . .	70	41	30.5	..	..	..	3	..	1	..	14	10.4	..	
Vijayavada . .	210	96	23.8	..	..	..	14	4	7	..	52	12.9	17	
Visakhapatnam .	133	62	24.2	..	..	..	17	7	11	..	54	21.1	10	
Vizianagaram .	77	39	26.3	..	2	..	8	1	5	1	43	29.0	6	
TOTAL . . .	1,848	1,163	32.7	..	3	..	109	24	79	13	620	17.4	107	
For w/e 20-7-57														
Adoni . . .	66	49	38.6	..	..	..	1	..	4	..	14	11.0	2	
Anantpur . .	39	27	36.0	..	..	..	1	..	4	..	17	22.7	1	
Anakapalli . .	47	23	25.4	..	..	..	1	2	3	..	21	23.2	1	
Bhimavaram . .	37	22	30.9	..	1	..	1	2	..	..	10	14.1	2	
Chirala . . .	45	26	30.0	..	..	..	3	..	1	..	9	10.4	2	
Chittoor . . .	46	25	28.3	..	..	..	1	..	2	2	8	9.0	2	
Guddapah Eluru†	44	36	42.5	..	..	..	..	1	1	..	6	7.1	1	
Gudivada . .	37	18	25.3	..	..	..	1	..	..	..	6	8.4	1	
Guntur . . .	153	177	60.2	..	..	..	8	3	10	1	76	25.8	23	
Guntakal . .	39	19	25.3	..	..	..	4	2	2	..	15	20.0	5	
Kakinada . .	117	64	28.4	..	..	..	..	4	2	..	20	8.9	2	
Kurnool . . .	70	52	38.6	..	..	..	3	2	2	..	25	18.6	1	
Masulipatnam .	91	35	20.0	..	..	..	3	2	3	..	15	8.6	5	
Nandyal . . .	38	28	38.3	..	..	..	2	..	4	..	16	21.9	1	
Nizamabad . .	70	13	9.7	1	..	..	5	..	2	..	9	6.9	1	
Nellore . . .	98	92	48.8	..	..	..	3	6	2	..	35	18.6	8	
Proddatur†														
Rajahmundry .	126	60	24.8	..	..	..	3	..	4	..	30	12.4	3	
Kothagudiam .	76	7	4.8	..	..	..	..	..	..	..	4	2.7	..	
Tenali †														
Vijayavada . .	210	129	31.9	..	..	..	21	3	6	..	57	14.1	11	
Visakhapatnam .	133	62	24.2	..	2	..	7	6	18	..	54	21.1	11	
Warrangal . .	160	39	12.7	..	3	..	16	1	1	..	31	10.1	..	
Vizianagaram .	77	49	33.1	..	1	..	3	4	4	1	39	26.3	8	
TOTAL . . .	1,819	1,052	30.1	1	7	..	87	38	75	4	517	14.8	91	

\*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B. = Births ; B. R. = Birth Rate ; C. = Cholera ; S. = Smallpox ; P. = Plague ; F. = Fevers ; D. D. = Dysentery and Diarrhoea ; R. D. = Respiratory Diseases ; M. D. = Maternal Deaths ; D. R. = Death Rate ; I. D. = Infantile Deaths (included in total deaths) ; .. = Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 3rd August, 1957—*contd.*

Town	Mid-year Popn. Est. (000)	Deaths from—										Total	D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.				
Andhra Pradesh—contd.		For w/e 22-7-1957												
Adoni	66	46	36.2	..	..	..	2	..	2	..	13	10.2	3	
Anantpur	39	14	18.7	..	..	..	..	..	2	1	5	6.7	..	
Anakapalli	47	30	33.2	..	..	..	..	2	4	1	26	28.8	12	
Bhimavaram	37	45	63.2	..	..	..	1	..	..	..	9	12.6	3	
Chirala	45	28	32.4	..	..	..	7	..	..	..	11	12.7	2	
Chittoor	46	35	39.6	..	..	..	7	2	1	..	21	23.7	3	
Guddapah	44	29	34.3	..	..	..	5	..	3	1	22	26.0	5	
Eluru†	37	29	40.8	..	..	..	3	..	..	..	11	15.5	2	
Gudivada	37	29	40.8	..	..	..	3	..	..	..	11	15.5	2	
Guntur	153	140	47.6	..	1	..	8	6	3	2	79	26.8	11	
Guntakal†	117	59	26.2	..	..	..	5	5	..	..	26	11.6	5	
Kakinada	117	59	26.2	..	..	..	5	5	..	..	26	11.6	5	
Kurnool	70	68	50.5	..	..	..	3	2	..	..	28	20.8	7	
Masulipatnam	91	51	29.1	..	..	..	8	1	5	..	27	15.4	6	
Nandyal	38	31	42.4	..	..	..	..	1	..	1	8	10.9	2	
Nizamabad	70	11	8.2	2	..	..	2	1	1	..	6	4.5	3	
Nellore	98	88	46.7	..	..	..	4	3	3	1	44	23.4	10	
Proddatur†	98	88	46.7	..	..	..	4	3	3	1	44	23.4	10	
Rajahmundry	126	151	62.3	..	..	..	2	1	..	..	18	7.4	2	
Secundrabad	188	144	39.8	..	2	..	..	2	10	..	40	11.1	12	
Tenali	70	50	37.1	..	..	..	1	1	8	..	19	14.1	6	
Vijayvada	210	146	36.2	..	..	..	17	5	9	..	78	19.3	15	
Visakhapatnam	133	61	23.8	..	..	..	9	7	17	..	52	20.3	11	
Vizianagaram	77	46	31.1	..	2	..	9	2	2	1	38	25.7	9	
TOTAL	1,802	1,302	37.6	2	5	..	93	41	70	8	581	16.8	129	

**Bihar***For w/e 15-6-1957*

Arrah . . .	72	5	3.6	..	..	..	2	..	..	..	3	2.2	..
Bihaar . . .	69	10	7.5	..	..	..	1	..	..	1	6	4.5	..
Bettiah† . . .													
Bhagalpur . . .	130	26	10.4	2	..	..	5	..	..	..	18	7.2	..
Chapra . . .	71	31	22.7	..	..	..	1	..	1	..	15	11.0	4
Darbhanga . . .	95	10	5.5	..	..	..	3	1	..	..	9	4.9	..
Dhanbad . . .	42	9	11.1	..	..	..	..	..	..	..	3	3.7	..
Dinapur . . .	45	4	4.6	..	..	..	..	..	..	..	2	2.3	..
Gaya . . .	153	26	8.8	..	..	..	23	4	10	..	44	15.0	..
Hazaribagh . . .	40	11	14.3	..	..	..	..	..	..	..	6	7.8	1
Jamalpur . . .	48	4	4.3	..	..	..	3	1	..	..	5	5.4	..
Jamshedpur . . .	253	109	22.4	..	..	..	1	..	2	..	26	5.3	9
Katihar . . .	53	..	..	..	..	..	..	..	..	..	..	..	..
Monghyr† . . .													
Muzaffarpur† . . .													
Patna . . .	341	122	18.6	..	..	..	8	..	2	..	39	6.0	..
Ranchi . . .	134	22	8.5	..	..	..	8	1	..	..	17	6.6	..
<b>TOTAL</b>	<b>1,546</b>	<b>389</b>	<b>13.1</b>	<b>2</b>	<b>..</b>	<b>..</b>	<b>55</b>	<b>7</b>	<b>15</b>	<b>1</b>	<b>193</b>	<b>6.5</b>	<b>14</b>

\* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used — B = Births; B.R. = Birth Rate; C. = Cholera; S. = Smallpox; P. = Plague; F. = Fevers; D.D. = Dysentery and Diarrhoea; R.D. = Respiratory Diseases; M.D. = Maternal Deaths; D.R. = Death Rate; I.D. = Infantile Deaths (included in total deaths); .. = Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 3rd August, 1957—concla.

Town	Mid-year Popn-Est. (000)	Deaths from :—											D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total			
Bihar—contd.		for w/e 22-6-57												
Arrah . . . .	72	10	7.2	1	..	..	6	2	..	..	15	10.8	..	
Bihar . . . .	69	10	7.5	..	..	..	..	..	..	1	5	3.8	..	
Bettiah†														
Bhagalpur . . .	130	32	12.8	..	1	..	1	..	..	..	16	6.4	..	
Chapra . . . .	71	23	16.8	..	..	..	2	2	..	..	15	11.0	3	
Darbangha . . .	95	8	4.4	..	..	..	5	1	..	..	12	6.6	..	
Dhanbad . . . .	42	12	14.9	..	..	..	..	..	..	..	4	5.0	..	
Dinapur . . . .	45	4	4.6	..	..	..	..	..	..	3	4	4.6	..	
Gaya . . . . .	153	37	12.6	..	..	..	50	2	27	..	104	35.3	..	
Hazaribagh . . .	40	20	26.0	..	..	..	4	..	..	..	6	7.8	2	
Jamalpur . . . .	48	5	5.4	..	..	..	2	3	..	..	5	5.4	..	
Jamshedpur . . .	253	123	25.3	..	1	..	1	1	4	..	24	5.0	3	
Katihar . . . .	53	..	..	..	..	..	..	..	..	..	..	..	..	
Monghyr†														
Muzaffarpur†														
Patna . . . . .	341	124	19.0	..	1	..	8	1	..	..	32	4.9	..	
Ranchi . . . . .	134	19	7.4	..	..	..	18	..	..	..	21	8.1	3	
TOTAL . . . .	1,546	427	14.4	1	3	..	97	12	31	4	263	8.8	11	
West Bengal		For w/e 13-7-1957												
Asansol . . . .	89	1	0.6	..	..	..	..	..	..	..	..	..	..	
Baidyabati . . .	34	1	1.5	..	..	..	1	..	..	..	3	4.6	..	
Bally . . . . .	67	4	3.1	1	..	..	..	..	..	..	2	1.6	..	
Bankura . . . .	50	10	10.4	..	..	..	4	..	1	..	7	7.3	..	
Bansberia†														
Baranagar . . .	93	32	17.9	1	..	..	1	2	6	..	14	7.8	5	
Basirhat . . . .	40	..	..	..	..	..	..	..	..	..	4	5.2	..	
Berhampur . . .	65	50	40.0	..	1	..	3	1	..	..	12	9.6	3	
Bhadreshwar . .	35	3	4.5	..	..	..	..	..	..	..	..	..	..	
Bhatpara . . . .	145	33	11.8	..	4	..	19	..	4	..	45	16.1	12	
Budge Budge . .	32	10	16.3	3	..	..	1	3	1	..	9	14.7	1	
Burdwan . . . .	84	24	14.9	2	..	..	..	..	1	..	8	5.0	..	
Calcutta . . . .	30,60	1,128	19.2	29	7	..	32	44	135	6	584	10.0	148	
Champdani . . .	41	23	29.2	..	..	..	1	..	..	..	6	7.6	..	
Cooch Behar†														
Kharagpur . . .	77	1	0.7	..	..	..	..	..	..	..	1	0.7	1	
Darjeeling . . .	39	7	9.3	..	..	..	10	1	2	..	23	30.7	..	
English Bazar . .	37	2	2.8	..	..	..	..	..	..	..	1	1.4	..	
Garden Reach . .	127	11	4.5	..	..	..	6	..	1	..	14	5.7	4	
Halisahar . . . .	42	2	2.5	..	..	..	..	..	..	..	1	1.2	..	
Hoogly-Chinsurah	61	75	64.0	..	..	..	4	3	2	1	17	14.5	1	
Howrah . . . . .	487	151	16.1	5	4	..	2	14	25	..	101	10.8	26	
Purulia . . . . .	49	9	9.6	..	..	..	1	..	..	..	3	3.2	..	
Jalpaiguri†														
Kamarhati†														
Kanchrapara†														
Chandernagore . .	57	30	27.4	..	..	..	..	3	..	1	15	13.7	1	
Krishnagar . . .	58	..	..	..	..	..	1	..	..	..	1	0.9	..	
Midnapore . . . .	45	52	60.1	..	..	..	1	..	1	..	13	15.1	..	
Nabadwip . . . .	73	33	23.5	..	1	..	3	1	3	..	13	9.3	..	
Nalhati . . . . .	64	3	2.4	..	..	..	..	..	2	..	14	3.3	..	
North Barrackpore	37	8	11.2	..	..	..	2	..	..	..	3	4.2	..	
Panihati . . . .	68	1	0.8	1	..	..	1	4	..	..	15	11.5	..	
Shantipur . . . .	51	13	13.3	..	..	..	..	..	..	..	5	5.1	2	
Serampore . . . .	86	28	17.0	1	..	..	5	1	2	..	21	12.7	6	
Siliguri . . . . .	46	21	23.7	..	..	..	..	..	..	..	2	2.3	..	
South Dum Dum .	87	17	10.2	..	..	..	..	..	..	..	..	..	..	
South Suburban .	129	68	27.4	1	..	..	..	4	3	..	15	6.1	4	
Titagarh . . . .	79	22	14.5	..	..	..	13	2	5	..	24	15.8	4	
TOTAL . . . .	5,634	1,873	17.3	42	17	..	111	83	194	8	986	9.1	218	

\*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B=Births; B.R.=Birth Rate; C.=Cholera; S.=Smallpox; P.=Plague; F.=Fevers; D.D.=Dysentery and Diarrhoea; R.D.=Respiratory Diseases; M.D.=Maternal Deaths; D.R.=Death Rate; I.D.=Infantile Deaths (included in total deaths); ..=Nil information.

## REMARKS

The figures of births and deaths shown in this statement for week ending the 3rd August, 1957 relate to 149 towns with an estimated population of 22,069 thousands. Information about Andhra Pradesh, Assam, Bihar, Madhya Pradesh, Orissa, Pondicherry, Rajasthan, and West Bengal could not be included. The total number of towns is 319 and their population is 42,930 thousands. Thus 47% of the total number of towns representing 51% of the total population is covered in this statement.

The number of births and deaths recorded in these towns were 13,633 and 6,272 representing birth and death rates of 32.1 and 14.8 per thousand of population respectively.

No town recorded a high death rate of 50 or over per thousand of population. The following table gives the position by States:—

State	Current		Corresponding	
	B.R.	D.R.	B.R.	D.R.
Bombay . . .	29.9	15.5	30.7	12.6
Kerala	43.2	16.6	33.5	6.6
Madras . . .	37.3	16.8	43.0	17.5
Mysore . . .	18.0	13.0	23.4	12.0
Punjab . . .	42.5	9.6	39.1	11.7
Uttar Pradesh . .	31.1	13.3	32.2	16.3
India . . . . .	32.1	14.8	34.1	14.3

NEW DELHI-2 (INDIA);1 }  
The 26th August, 1957 }

H. R. SHARMA,  
for Registrar General, India.